



CAPITAL

Collection



Quad Blackout

Blackout variant of Quad with reflective white backing

3000mm

Quad Blackout

Blackout variant of Quad with reflective white backing

Quad blackout fabrics are an easy to clean, practical solution woven from high quality Polyester (30%) and PVC (70%) yarns.

Available in a width of 3 metres and coated with a flame retardant and anti-bacterial finish, it makes an *ideal solution for commercial projects*.



Certified fire retardancy



Blackout fabric for total light control



Infused with a protective antimicrobial coating

Quad Blackout	
Product	Roller
Composition	70% PVC, 30% PES
Roller - roll width	3000mm
Roller - roll length	ca. 30m
Weight	550g/m ²
Thickness	0.65mm
FR Classifications	BS 5867-2, TYPE B DIN 4102, CLASS B1 EN 13773, CLASS 1
Colour Fastness (AATCC 16-2003)	Class 4.5
Cleaning	Damp cloth
Recommended cut method	Cold Cut, Ultrasonic Cut
Oeko-Tex Standard 100	Yes
Suitable for moist conditions	Yes

Technical Specifications						
Colour	Thermal			Visual		
	Ts %	RS %	As %	Tv %	Rv %	Av %
Bright White	0	73	27	0	84	16
White	0	73	27	0	84	16
Beige	0	73	27	0	84	16
Soft Grey	0	73	27	0	84	16
Sand Grey	0	73	27	0	84	16
Iron Grey	0	73	27	0	84	16
Steel	0	73	27	0	84	16
Light Grey	0	73	27	0	84	16

Ts = Solar Transmittance

Rs = Solar Reflectance

As = Solar Absorbance


Tv = Visual Transmittance

Rv = Visual Reflectance


Av = Visual Absorbance




Bright White 3000mm




White 3000mm




Beige 3000mm




Soft Grey 3000mm



Sand Grey 3000mm



Iron Grey 3000mm



Steel 3000mm



Light Grey 3000mm