



CAPITAL

Collection



Brussels

Blackout, non-woven cellular fabric with an extensive colour palette

3000mm | 25mm

Brussels BO

Blackout cellular fabric with an extensive colour palette

Brussels proves that blackout fabrics don't have to be dull, offering an extensive colour range with a robust look and feel.

Coordinated with its light-filtering sister fabric, Paris, Brussels is the perfect choice for those who want to brighten their space while effectively blocking out light.



Blackout fabric for total light control



Extensive colour palette



Moisture resistant



Energy saving



White 3000mm
□ 25mm



Lily Cream 3000mm
□ 25mm




Dove 3000mm
□ 25mm




Tofu 3000mm
□ 25mm




Latte 3000mm
□ 25mm




Portabella 3000mm
□ 25mm




Moon Rock 3000mm
○ 25mm




Sun Glow 3000mm
○ 25mm




Citrus 3000mm
○ 25mm




Scarlet 3000mm
○ 25mm




Garden Green 3000mm
○ 25mm



Olive 3000mm
○ 25mm




Indigo 3000mm
○ 25mm




Very Peri 3000mm
○ 25mm




Smoke 3000mm
○ 25mm




Dolphin 3000mm
○ 25mm




Granite 3000mm
○ 25mm



Ash 3000mm
○ 25mm



Space Grey 3000mm
○ 25mm



Black 3000mm
○ 25mm

Brussels	
Product	Cellular Fabric
Composition	100% Polyester
Roll Width	3000mm
Roll Length	12000mm
FR Classifications	Not FR
Weight	185g/m2
Thickness	0.19mm
Colour Fastness (ISO 105 - B02)	Grade 5-6
Cleaning	Damp sponge
Oeko-Tex Standard 100	Yes
Suitable for moist conditions	Yes

Technical Specifications										
Colour	Thermal							Visual		
	Ts %	RS %	As %	GTOT INT GLAZING C		GTOT INT GLAZING D		Tv %	Rv %	Av %
				GTOT	CLASS	GTOT	CLASS			
White	0	67	33	0.35	1	0.78	2	0	66	34
Lily Cream	0	67	33	0.35	1	0.78	2	0	66	34
Dove	0	67	33	0.35	1	0.78	2	0	66	34
Tofu	0	67	33	0.35	1	0.78	2	0	66	34
Latte	0	67	33	0.35	1	0.78	2	0	66	34
Portabella	0	67	33	0.35	1	0.78	2	0	66	34
Moon Rock	0	67	33	0.35	1	0.78	2	0	66	34
Sun Glow	0	67	33	0.35	1	0.78	2	0	66	34
Citrus	0	67	33	0.35	1	0.78	2	0	66	34
Scarlet	0	67	33	0.35	1	0.78	2	0	66	34
Garden Green	0	67	33	0.35	1	0.78	2	0	66	34
Olive	0	67	33	0.35	1	0.78	2	0	66	34
Indigo	0	67	33	0.35	1	0.78	2	0	66	34
Very Peri	0	67	33	0.35	1	0.78	2	0	66	34
Smoke	0	67	33	0.35	1	0.78	2	0	66	34
Dolphin	0	67	33	0.35	1	0.78	2	0	66	34
Granite	0	67	33	0.35	1	0.78	2	0	66	34
Ash	0	67	33	0.35	1	0.78	2	0	66	34
Space Grey	0	67	33	0.35	1	0.78	2	0	66	34
Black	0	67	33	0.35	1	0.78	2	0	66	34

Ts = Solar Transmittance	Rs = Solar Reflectance	As = Solar Absorbance	Tv = Visual Transmittance	Rv = Visual Reflectance	Av = Visual Absorbance
Gtot = Total solar energy reflectance		Glazing C = Double glazing as described in EN 14501:2021		Glazing D = Solar control glazing as described in EN 14501:2021	